


New York-Newark-Jersey City, NY-NJ-PA

ACME CLARK

40.627333, -74.3173 Raritan Road and Commerce Place | Clark, New Jersey 07066



CENTER SIZE: 52,812 SF



| DEMOGRAPHICS | 1 MILE | 3 MILE | 5 MILE |
|--------------|-----------|-----------|-----------|
| *** | 13,138 | 142,340 | 374,404 |
| ^ | 4,883 | 53,180 | 134,599 |
| \$ | \$145,110 | \$129,301 | \$118,950 |

Close proximity to the Garden State Parkway


Surrounded by a dense population of 142,000+ residents with an average household income of \$129,000+ within 3 miles

Strong daytime population of 141,000+ within a 3-mile radius

New York-Newark-Jersey City, NY-NJ-PA

ACME CLARK

40.627333, -74.3173 Raritan Road and Commerce Place | Clark, New Jersey 07066



1383 - 09.19.24

AVAILABLE SPACE

ABC

CURRENT RETAILERS

Error while processing template

Template: https://flyer-service.stg.propertycapsule.com/api/file/3704/download

Message: The following has evaluated to null or missing: ==> tenant['spaceNumber'] [in template "https://flyer-service.stg.propertycapsule.com/ api/file/3704/download" at line 483, column 63] ---- Tip: It's the final [] step that caused this error, not those before it. ---- Tip: If the failing expression is known to legally refer to something that's sometimes null or missing, either specify a default value like myOptionalVar!myDefault, or use <#if myOptionalVar??>whenpresent<#else>when-missing</#if>. (These only cover the last step of the expression; to cover the whole expression, use parenthesis: (myOptionalVar.foo)!myDefault, (myOptionalVar.foo)?? ---- FTL stack trace ("~" means nesting-related): - Failed at: \${tenant["spaceNumber"]} [in template "https://flyer-service.stg.propertycapsule.com/ api/file/3704/download" at line 483, column 61] - Reached through: #include getFileUrl("page.back-matt2... [in template